

# POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING



## Bayfidan®

### TURF FUNGICIDE

ACTIVE CONSTITUENT: 250 g/L TRIADIMENOL  
SOLVENT: 602 g/L N-METHYL-2-PYRROLIDONE

GROUP	<b>C</b>	FUNGICIDE
-------	----------	-----------

1 L

For the systemic control of dollar spot and other diseases of turf as specified in the Directions for Use table.

**IMPORTANT: READ THE ATTACHED BOOKLET BEFORE USE**

## DIRECTIONS FOR USE

Crop	Disease	Rate	Critical Comments
Turf	Dollar spot (Not Tasmania, NT)	Preventive 30 mL/100 m <sup>2</sup>	Apply thoroughly on a monthly program starting immediately the disease appears.
		Curative 60 mL/100 m <sup>2</sup>	Apply thoroughly under conditions of heavy disease pressure; then treat as necessary.
	Black Helminthosporium (Qld, NSW, Tas only)	60 mL/100 m <sup>2</sup>	Use high volume equipment. Low volume may be used provided turf is irrigated thoroughly after spraying. Apply during period of turf growth on a monthly program.
	Take-All Patch (Not SA, NT)	60 mL/100 m <sup>2</sup>	Preventive only after soil fumigation with methyl bromide. Apply thoroughly, using high volume equipment, 6-8 weeks after seeding. Repeat applications (every 8 weeks in the first two years) for continued protection.
	Winter Fusarium (NSW, Vic, Tas only)	60 mL/100 m <sup>2</sup>	Apply thoroughly on a monthly program from end of March until danger of infection has passed.

**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.**

## GENERAL INSTRUCTIONS

Bayfidan is a broad spectrum, systemic, foliar fungicide that is quickly taken up by plants and translocated within the plant. Bayfidan provides protection on a monthly spray program and acts curatively after infection has taken place. Because of its systemic activity, Bayfidan is less affected by rainfall or irrigation than contact type fungicides.

### Mixing

Add the required quantity of Bayfidan to water in the spray vat while stirring or with agitators in motion.

### Compatibility

As formulations of other manufacturers' products are beyond the control of Bayer CropScience Pty Ltd, any mixture should be tested prior to mixing commercial quantities.

## FUNGICIDE RESISTANCE WARNING

GROUP	<b>C</b>	FUNGICIDE
-------	----------	-----------

Bayfidan Turf Fungicide is a member of the DMI group of fungicides. For fungicide resistance management the product is a Group C fungicide. Some naturally occurring individual fungi resistant to the product and other Group C fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product and other Group C fungicides, thus resulting in a reduction in efficacy. Since the occurrence of resistant fungi is difficult to detect prior to use, Bayer CropScience Pty Ltd accepts no liability for any losses that result from failure of this product to control resistant fungi.

## PROTECTION OF CROPS, NATIVE AND NON-TARGET PLANTS

Do not apply earlier than five weeks after sowing.

## PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Harmful to fish. DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

## STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product. Do not re-use container for any other purpose.

## SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. Do not inhale spray mist. When preparing spray, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow-length butyl rubber gloves and goggles. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, goggles and contaminated clothing.

## FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 13 11 26).

## SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet.

## Exclusion of Liability

This product must be used strictly as directed, and in accordance with all instructions appearing on the label and in other reference material. So far as it is lawfully able to do so, Bayer CropScience Pty Ltd accepts no liability or responsibility for loss or damage arising from failure to follow such directions and instructions.

Bayfidan® is a Registered Trademark of the Bayer Group.

APVMA Approval No.: 30676/1 L/1005

Bayer CropScience Pty Ltd  
A.B.N. 87 000 226 022  
Level 1, 8 Redfern Rd  
Hawthorn East, Vic. 3123  
Technical enquiries 1800 804 479  
Website: [www.es.bayer.com.au](http://www.es.bayer.com.au)

Batch No.:

Date of manufacture:

### *GHS label statement*

***May damage fertility or the unborn child. May cause harm to breast-fed children. May cause respiratory irritation.***

*Do not handle until all safety precautions have been read and understood. Do not breathe mist. Avoid contact during pregnancy/ while nursing. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Use personal protective equipment as required. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTRE or doctor/physician if you feel unwell. IF exposed or concerned: Get medical advice/attention. Store locked up.*