

CAUTION

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

▲ PEEL HERE ▲

ProForce® **Envixa** **Duo**

Fungicide

GROUP **3|11** FUNGICIDE

ACTIVE CONSTITUENTS:
200 g/L TEBUCONAZOLE,
120 g/L AZOXYSTROBIN

Situation/Crops: Turf including golf greens, tees and fairways, bowling clubs, sportsfields and racetracks.

Uses: For control of diseases specified in the Directions for Use table.

IMPORTANT:
READ THIS LEAFLET BEFORE USE

CONTENTS
1 LITRE

indigo
SPECIALTY PRODUCTS

DIRECTIONS FOR USE

RESTRAINTS

DO NOT apply ProForce Envixa Duo Fungicide to home lawns (turf) or any other residential turf.

DO NOT apply if rain is expected within 48 hours.

DO NOT apply ProForce Envixa Duo Fungicide by aerial application.

DO NOT use this product through any type of irrigation system or ultra-low volume spray system.

DO NOT apply using spraying equipment carried on the back of the user.

SPRAY DRIFT RESTRAINTS

Specific definitions for terms used in this section of the label can be found at www.apvma.gov.au/spraydrift

DO NOT allow bystanders to come into contact with the spray cloud.

DO NOT apply in a manner that may cause an unacceptable impact to native vegetation agricultural crops, landscaped gardens and aquaculture production, or cause contamination of plant or livestock commodities, outside the application site from spray drift. The buffer zones in the relevant buffer zone table below provide guidance but may not be sufficient in all situations.

Wherever possible, correctly use application equipment designed to reduce spray drift and apply when the wind direction is away from these sensitive areas.

DO NOT apply when wind speed is less than 3 or more than 20 kilometres per hour as measured at the application site.

DO NOT apply if there are hazardous surface temperature inversion conditions at the application site during the time of application. Surface temperature inversion conditions exist most evenings one to two hours before sunset and persist until one to two hours after sunrise.

Ground Application

DO NOT apply by a boom sprayer unless the following requirements are met:

- Spray droplets not smaller than a MEDIUM spray droplet size category
- Minimum distances between the application site and downwind sensitive areas (See ‘Mandatory buffer zones’ section of the following table titled ‘Buffer zones for boom sprayers’) are observed.

Buffer zones for boom sprayers					
Application Rate	Mandatory downwind buffer zones				
	Bystander areas	Natural aquatic areas	Pollinator areas	Vegetation areas	Livestock areas
Up to 4 L/ha	0 metres	20 metres	0 metres	60 metres	0 metres

DIRECTIONS FOR USE – TURF USES	
DISEASE	RATE
Dollar Spot <i>(Sclerotinia homeocarpa)</i> Helminthosporium Disease <i>(Bipolaris, Drechslera & Exserohilum spp.)</i> Anthracnose <i>(Colletotrichum spp.)</i> Winter Fusarium <i>(Microdochium nivale)</i> Brown Patch <i>(Rhizoctonia solani)</i>	2 – 3 L/ha
Fairy Ring <i>(Basiomycete fungi)</i>	3 – 4 L/ha

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

CRITICAL COMMENTS
Apply in a sufficient volume of water to achieve thorough coverage of all foliage and plant crowns. Apply ProForce Envixa Duo Fungicide on a 21-28 day interval as part of a season-long preventative spray program for turf disease management. Use the higher rate and shorter interval when conditions are favourable for disease development. Refer to application instructions for more information on targeting foliar and crown diseases. DO NOT apply more than two consecutive sprays of ProForce Envixa Duo Fungicide before rotating to a different mode of action fungicide. DO NOT apply more than three sprays of ProForce Envixa Duo Fungicide per season.
Apply to green areas where fairy ring has previously occurred. Use the low rate from the end of October to early November (prior to dry conditions) and reapply after 30 days if required. If disease symptoms are present at the time of application, use the high rate and re-apply 30 days after the first application. Refer to application instructions for more information on targeting Fairy Ring. DO NOT apply more than two consecutive sprays of ProForce Envixa Duo Fungicide. DO NOT apply more than three sprays of ProForce Envixa Duo Fungicide per season.

WITHHOLDING PERIODS:

Grazing: DO NOT graze treated areas or feed turf clippings from treated areas to animals including poultry.

GENERAL INSTRUCTIONS

MIXING

Prior to pouring, shake container vigorously, then add the required quantity of ProForce Envixa Duo Fungicide to water in the spray vat while stirring or with agitators in motion. Rinse the empty container with water and add rinsings to spray tank.

APPLICATION

Apply by ground application equipment only. Ensure even application in order to achieve even disease control. Avoid overlapping sprays.

Leaf and Crown Diseases: Application volume for leaf and crown diseases (Anthracnose, Dollar Spot, Helminthosporium diseases, Winter Fusarium and Brown Patch) should be adequate to ensure thorough and even coverage of the turf leaves and penetration to the crowns. Ideal application volume should be 350 to 500 L/ha. For best results use medium [XR Teejet* (11004 or 10005)] to coarse [Turbo Teejet* or AIXR Teejet* (11004 or 11005)] nozzles, at 5 km/h and 3 bar pressure. In higher cut turf (≥ 15 mm) a significant spray shielding effect can occur, impacting negatively on spray penetration and even coverage at low application volumes.

Fairy Ring: Application volume should be as high as possible (approximately 1000 L/ha) to ensure placement close to the soil surface. When lower application volumes are used, washing in should commence as soon as possible after application. For best results use extremely coarse droplets [Turbo Floodjet* (TF5) or TurfJet* (TTJ10)] and total application volume of approximately 1000 L/ha. Preferably spray onto wet or dewy grass. Irrigate with 6 to 10 mm of water commencing within 1 hour of application.

FUNGICIDE RESISTANCE WARNING

GROUP	3 11	FUNGICIDE
-------	-------------	-----------

ProForce Envixa Duo Fungicide is a member of the DMI and quinone outside inhibitors (Qols) group of fungicides. For fungicide resistance management the product is both a Group 3 and a Group 11 fungicide. Some naturally occurring individual fungi resistant to ProForce Envixa Duo Fungicide and other Group 3 and/or Group 11 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by this product and other Group 3 and/or Group 11 fungicides, thus resulting

in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Indigo Specialty Products Pty Ltd accepts no liability for any losses that may result from failure of ProForce Envixa Duo Fungicide to control resistant fungi.

WARNING

- ProForce Envixa Duo Fungicide is extremely phytotoxic to certain apple varieties. Extreme care must be used to prevent injury to apple trees.

- AVOID SPRAY DRIFT. DO NOT spray ProForce Envixa Duo Fungicide where spray drift may reach apple trees.

- DO NOT spray when conditions favour drift beyond the area intended for application.

Conditions that may contribute to drift include thermal inversions, excessive wind speed, certain sprayer nozzle/pressure combinations, small spray droplet size etc.

- DO NOT use spray equipment to spray apple trees that has been previously used to apply ProForce Envixa Duo Fungicide. Even trace amounts can cause unacceptable phytotoxicity.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Very toxic to aquatic life. DO NOT contaminate wetlands or watercourses with this product or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

This container can be recycled if it is clean, dry, free of visible residues and has the *drumMuster* logo visible. Triple-rinse containers for disposal. Dispose of rinsate by adding it to spray tank. Do not dispose of undiluted chemicals on site.

Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any *drumMUSTER* collection or similar container management program site. The cap should not be replaced, but may be taken separately. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS

Harmful if swallowed. May irritate the eyes. Avoid contact with eyes. When opening the container, preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). In addition, if applying by low pressure hand wand, wear cotton overalls, over normal clothing, buttoned to the neck and wrist and elbow-length chemical resistant gloves. If product or spray in eyes, wash it out immediately with water. Wash hands after use. After each day's use wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet that is available from the supplier.

CONDITIONS OF SALE: Indigo Specialty Products shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Indigo Specialty Product's skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Indigo Specialty Products has any authority to add to or alter these conditions.

Harmful if swallowed. Harmful if inhaled. Suspected of damaging the unborn child. Very toxic to aquatic life with long lasting effects.



Indigo Specialty Products Pty Ltd

ABN 15 631 459 660

3/49 Donaldson Road, Rocklea, Qld 4106

T: 0491 201 694 | www.indigospecialty.com.au

APVMA Approval Number: 96899/153290

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING
OR USING

ProForce®
Envixa
Duo

Fungicide

ACTIVE CONSTITUENTS:
200 g/L TEBUCONAZOLE,
120 g/L AZOXYSTROBIN

GROUP **3|1|1** FUNGICIDE

Situation/Crops: Turf including
golf greens, tees and fairways,
bowling clubs, sportsfields and
racetracks.

Uses: For control of diseases
specified in the Directions for
Use table.

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USE

CONTENTS
1 LITRE

indigo
SPECIALTY PRODUCTS

GLUE AREA

GLUE AREA

STORAGE AND DISPOSAL: Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. This container can be recycled if it is clean, dry, free of visible residues and has the drumMUSTER logo visible. Triple-rinse containers for disposal. Dispose of rinsate by adding it to spray tank. Do not dispose of undiluted chemicals on site. Wash outside of the container and the cap. Store cleaned container in a sheltered place with cap removed. It will then be acceptable for recycling at any *drumMUSTER* collection or similar container management program site. The cap should not be replaced, but may be taken separately. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations. DO NOT burn empty containers or product.

SAFETY DIRECTIONS: Harmful if swallowed. May irritate the eyes. Avoid contact with eyes. When opening the container, preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing). In addition, if applying by low pressure hand wand, wear cotton overalls, over normal clothing, buttoned to the neck and wrist and elbow-length chemical resistant gloves. If product or spray in eyes, wash it out immediately with water. Wash hands after use. After each day's use wash gloves and contaminated clothing.

FIRST AID: If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

SAFETY DATA SHEET: Additional information is listed in the Safety Data Sheet that is available from the supplier.

CONDITIONS OF SALE: Indigo Specialty Products shall not be liable for any loss injury damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence or otherwise in connection with the sale supply use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Indigo Specialty Product's skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Indigo Specialty Products has any authority to add to or alter these conditions.

Harmful if swallowed. Harmful if inhaled. Suspected of damaging the unborn child. Very toxic to aquatic life with long lasting effects.



indigo
SPECIALTY PRODUCTS

Manufactured by:
Indigo Specialty Products Pty Ltd ABN 15 631 459 660
3/49 Donaldson Road, Rocklea Qld 4106
T: 0491 201 694 | www.indigospecialty.com.au
APVMA Approval Number: 96899/153290

Batch Number:

DOM: